

## Credits

It takes a lot to build a full blown 'state of the Art' Internet Hosting Service as provided by XSecHosting. It is here where we list the subsystems used to make XSecHosting Hosting Service and express the recognition so deserved, on behalf of XSecHosting, it's clients.

- System, Network/Services Architecture & Design
- Operating System
- E-Mail Services
- WWW Services
- SSL/TLS and other Security Implementation Mechanisms
- PK (GPG/PGP public key) Services
- CA (Certificate Authority) Services
- System Monitoring, Intrusion Detection, and Firewalls
- Load Balancing and High Availability
- Databases and Active Directories
- System/User (remote) Administration

### System, Network/Services Architecture & Design

XSystems Consultants Ltd

Responsible for providing the System, Network/Services Architecture & Design along with the research and integration that made XSecHosting possible.

<http://www.xsystems.co.uk>

### Operating System

Ubuntu

GNU/Linux

<http://www.kernel.org>

<http://www.ubuntu.com>

<http://www.gnu.org>

### E-Mail Services

Sendmail

is the MTA or Mail Transport Agent responsible for routing email from server to server. Sendmail was compiled with STARTTLS providing the TLS secured channel from your email client to the XSecHosting Server.

<http://www.sendmail.org>

CyrusSASL

Provides the Sendmail Service Authentication/Access Layer for Sendmail, making sure only authenticated XSecHosting users can send mail from the XSecHosting Server

<http://asg.web.cmu.edu/sasl/>

MIMEDefang

Implements the email filter called from the sendmail milter interface. Its job is to remove hostile MIME attachments from incoming email and to call ClamAV to do the anti-virus checking

<http://www.mimedefang.org/>

ClamAV

Detects and isolates/removes known Viruses from emails. It's called from MIMEDefang

<http://www.clamav.net/>

MilterSPF

Implements the the sender Policy Protocol in sendmail via its milter interface. It's an anti spam measure designed to assist in server authentication.

<http://spf.pobox.com/>  
WU-IMAP

Provides the Authentication and Access to your eMail over an SSL secured channel. Implements both the IMAPs and POPs protocols.

<http://www.washington.edu/imap>  
SpamAssassin

SpamAssassin is a mail filter to identify spam. It is an intelligent email filter which uses a diverse range of tests to identify unsolicited bulk email, more commonly known as Spam. It also uses the Vipul's Razor and Pyzor databases to assist in Spam detection. It's called before finally delivering an email. and its' settings are set from Usermin Interface

<http://spamassassin.apache.org/>  
Vipul's Razor

is a distributed, collaborative, spam detection and filtering network. Through user contribution, Razor establishes a distributed and constantly updating catalogue of spam in propagation that is consulted by email clients to filter out known spam

<http://razor.sourceforge.net/>  
Pyzor

is a collaborative, networked system to detect and block spam using identifying digests of messages.

<http://pyzor.sourceforge.net/>  
SquirrelMail

Implements the XSecHosting WebMail Services. Supporting a wealth of features including the ability to use GPG for digital signitures and/or (en/de)cryption.

<http://www.squirrelmail.org/>  
MailMan

Implements the XSecHosting email list services.

<http://www.gnu.org/software/mailman/>

## WWW Services

### Apache HTTP Server

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows NT. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards

<http://www.apache.org>  
mod\_php HTTP Service Support Modules

mod\_php embeds a persistent PHP interpreter in the Apache webserver. Thus overhead of starting an external interpreter and avoids the penalty Interpreter start-up time, thus accelerating PHP based dynamic content

<http://www.php.net>  
mod\_perl

as mod\_php only it embeds the Perl Interpreter.

<http://perl.apache.org>  
mod\_python

as mod\_php only it embeds the Python Interpreter

<http://www.modpython.org>  
mod\_ssl

provides strong cryptography for the Apache webserver via the Secure Sockets Layer (SSL v2/v3) and Transport Layer Security (TLS v1) protocols by the help of the Open Source SSL/TLS toolkit OpenSSL. In a word its what make the https protocol possible in the Apache webserver.

<http://www.modssl.org>

#### HTTP Service Support Libraries

mcrypt

Libmcrypt, which contains encryption functions, and provides a standardized mechanism for accessing them. Use by PHP

<http://mcrypt.sourceforge.net>  
mhash

Mhash is a free (under GNU Lesser GPL) library which provides a uniform interface to a large number of hash algorithms. These algorithms can be used to compute checksums, message digests, and other signatures. Used by PHP

<http://mhash.sourceforge.net>  
mm

OSSP mm is a 2-layer abstraction library which simplifies the usage of shared memory between forked (and this way strongly related) processes under Unix platforms. Used by PHP

<http://www.ossfp.org/pkg/lib/mm>  
mcal

Modular Calendar Access Library. libmcal is a C library for accessing calendars. It's written to be very modular, with pluggable drivers. One of the main drivers it handles is ICAP. ICAP is an internet protocol that has very close ties with the IMAP protocol. Using ICAP, you can access a calendar in very much the same way as you use IMAP to access a remote mailbox

<http://sourceforge.net/projects/libmcal>

## wv2

wv is a library and access which allows access to Microsoft Word files. It can load and parse Word 2000, 97, 95 and 6 file formats. (These are the file formats known internally as Word 9, 8, 7 and 6.) There is some support for reading earlier formats as well: Word 2 docs are converted to plaintext.

## libwmf

is a library for reading vector images in Microsoft's native Windows Metafile Format (WMF) and for either (a) displaying them in, e.g., an X window; or (b) converting them to more standard/open file formats such as, e.g., the W3C's XML-based Scalable Vector Graphic (SVG) format.

<http://wwwware.sourceforge.net>

## gd

GD is an open source code library for the dynamic creation of images by programmers. GD is written in C, and "wrappers" are available for Perl, PHP and other languages. GD creates PNG, JPEG and GIF images, among other formats. GD is commonly used to generate charts, graphics, thumbnails, and most anything else, on the fly.

<http://www.boutell.com/gd>

## imagemagick

ImageMagick®, is a free software suite to create, edit, and compose bitmap images. It can read, convert and write images in a large variety of formats. Images can be cropped, colors can be changed, various effects can be applied, images can be rotated and combined, and text, lines, polygons, ellipses and Bézier curves can be added to images and stretched and rotated.

<http://www.imagemagick.org>

## netpbm

Netpbm is a package of graphics programs and a programming library. There are over 220 separate programs in the package, most of which have "pbm", "pgm", "ppm", "pam", or "pnm" in their names.

<http://netpbm.sourceforge.net>

## HTTP Service Scripting Languages

## PHP

One of the more popular scripting languages.

<http://www.php.net>

## Perl

Another one of the more popular scripting languages.

<http://www.perl.org>

## Python

And another one of the more popular scripting languages.

<http://www.python.org>  
Ruby

This is a newer scripting language, and it is fast becoming one of the more popular scripting languages.

<http://www.ruby-lang.org>

PostNuke CMS (Content Management Systems)

PostNuke is one of the most powerful open source content management systems in the world (source <http://www.postnuke.com>). (XSecHosting: With over 1000 themes and masses of modules there probably right, hence this is the XSecHosting recommended CMS).

<http://www.postnuke.com>  
Xoops

XOOPS is an extensible, OO (Object Oriented), easy to use dynamic web content (XSecHosting: Not quite as many modules, themes as Postnuke. There is a debate as to whether or not it is as easy to use as PostNuke!).

<http://www.xoops.org>  
Typo3

TYPO3 is a free Open Source content management system for enterprise purposes on the web and in intranets. It offers full flexibility and extendability while featuring an accomplished set of ready-made interfaces, functions and modules. (XSecHosting: Truly a stellar Effort by a 'brother', however there is currently a lack in the themes department).

<http://typo3.com>  
<http://typo3.org>

AWStats HTTP Service Statistics

AWStats is a free powerful and featureful tool that generates advanced web, streaming, ftp or mail server statistics, graphically. This log analyzer works as a CGI or from command line and shows you all possible information your log contains, in few graphical web pages.

<http://awstats.sourceforge.net>  
Webalizer

The Webalizer is a fast, free web server log file analysis program. It produces highly detailed, easily configurable usage reports in HTML format, for viewing with a standard web browser.

<http://www.mrunix.net/webalizer>

SSL/TLS and other Security Implementation Mechanisms

OpenSSL

The OpenSSL Project is a collaborative effort to develop a robust, commercial-grade, full-featured, and Open

Source toolkit implementing the Secure Sockets Layer (SSL v2/v3) and Transport Layer Security (TLS v1) protocols as well as a full-strength general purpose cryptography library

<http://www.openssl.org>  
OpenSSH

OpenSSH is a FREE version of the SSH protocol suite of network connectivity tools. OpenSSH encrypts all traffic (including passwords) to effectively eliminate eavesdropping, connection hijacking, and other network-level attacks. XSecHosting users use scp/sftp to upload webpages, with various appropriate client software (see below: )

<http://www.openssh.com>  
GnuTLS

GnuTLS is a project that aims to develop a library which provides a secure layer, over a reliable transport layer. Currently the GnuTLS library implements the proposed standards by the IETF's TLS working group. Some Subsystems seem to prefer this implementation instead of openssl.

<http://www.gnu.org/software/gnutls>  
loop-aes

provides process interface to the kernel encryption functions in the form of loopback devices, used for creating encrypted swap space (XSecHosting recommends encrypting swap space) and other disk partitions/filesystems.

<http://loop-aes.sourceforge.net>  
FreeS/WAN

an implementation of IPSEC & IKE for Linux. IPSEC is Internet Protocol SECurity. It uses strong cryptography to provide both authentication and encryption services. Authentication ensures that packets are from the right sender and have not been altered in transit. Encryption prevents unauthorised reading of packet contents.

<http://www.freeswan.org>  
OpenS/WAN

Openswan is an Open Source implementation of IPsec for the Linux operating system. Is it a code fork of the FreeS/WAN project.

<http://www.openswan.org>  
GnuPG (Gnu Privacy Guard for Encryption & Digital Signatures)

provides the eMail/File level digital signing and (en/de)crypting functions, used in Squirrelmail (the XSecHosting webMail tool) and enigma the transparent Mozilla (the BCIGNet recommended browser/email suite) emailer plugin (works with Thunderbird too).

<http://www.gnupg.org>

## PK (GPG/PGP public key) Services

### OpenPGP Public Key Server

Provides the peered XSecHosting public key service used by GnuPG in the Squirrelmail (the XSecHosting webMail tool) and enigma the transparent Mozilla (the BCIGNet recommended browser/email suite) emailer plugin (works with Thunderbird too).

<http://pks.sourceforge.net>

## CA (Certificate Authority) Services

### OpenCA

The OpenCA Project is a collaborative effort to develop a robust, full-featured and Open Source out-of-the-box Certification Authority implementing the most used protocols with full-strength cryptography world-wide. XSecHosting CA Services uses OpenCA to maintain it's server certificate infrastructure.

<http://www.openca.org>

## System Monitoring, Intrusion Detection, and Firewalls

### Snort

Snort is an open source network intrusion prevention system, capable of performing real-time traffic analysis and packet logging on IP networks. It can perform protocol analysis, content searching/matching and can be used to detect a variety of attacks and probes, such as buffer overflows, stealth port scans, CGI attacks, SMB probes, OS fingerprinting attempts, and much more. Over the years Snort has evolved into a mature, feature rich technology that has become the de facto standard in intrusion detection and prevention.

<http://www.snort.org>  
Snare

The Snare Micro Server is a program that provides a central collection facility for a variety of log sources.

Snare for Linux provides a 'C2' or 'CAPP' style audit subsystem for the Linux operating system. It can be used as a standalone auditing tool for Linux, or can send data to the Snare Server for analysis and storage.

RazorBack is a GUI log analysis program that interfaces with the SNORT open source Intrusion Detection System to provide real time visual notification when an intrusion signature has been detected on the network.

[http://www.intersectalliance.com/  
projects/index.html](http://www.intersectalliance.com/projects/index.html)  
LIDS

The Linux Intrusion Detection System (LIDS) is a kernel patch and admin tools which enhances the kernel's security by implementing Mandatory Access Control (MAC).

<http://www.lids.org>  
Firestorm NIDS

Firestorm is an extremely high performance network intrusion detection system (NIDS).

<http://www.scaramanga.co.uk/firestorm>  
AIDE

AIDE (Advanced Intrusion Detection Environment) is a free replacement for Tripwire. It does the same things as the semi-free Tripwire and more.

<http://www.cs.tut.fi/~rammer/aide.html>  
KMyFirewall

## KDE based Firewall GUI for linux IPTables

<http://kmyfirewall.sourceforge.net>  
GuardDog

another KDE based Firewall GUI for linux IPTables  
[http://www.simonzone.com/  
software/guarddog](http://www.simonzone.com/software/guarddog)  
FireStarter

Gnome based Firewall GUI for linux IPTables

<http://www.fs-security.com>  
ntop

ntop is a network traffic probe that shows the network usage, similar to the popular top Unix command

<http://www.ntop.org/ntop.html>  
Nefu

nefu monitors network services and reports outages. Working from a discription of the network topography

<http://rsug.itd.umich.edu/software/nefu/>  
HeartBeat

checks/informs a server is up and running. as server monitor heart beat forms the basis for High Availability failover solutions

<http://www.linux-ha.org>  
Mon

Service Monitoring Process mon is a general-purpose scheduler and alert management tool used for monitoring service availability and triggering alerts upon failure detection.

<http://www.kernel.org/software/mon/>

Load Balancing and High Availability

keepalived



keepalived is a userspace process for LVS cluster nodes health checks and LVS directors failover

<http://www.keepalived.org/>  
LVS

The Linux Virtual Server is a highly scalable and highly available server built on a cluster of real servers, with the load balancer running on the Linux operating system

<http://www.linuxvirtualserver.org/>  
Piranha

The Redhat project based on LVS to create load balanced and highly available network services from which ideas and components were taken.

[http://www.redhat.com/  
software/rha/  
cluster/piranha/](http://www.redhat.com/software/rha/cluster/piranha/)  
Ultamoney

another project based on LVS to create load balanced and highly available network services from which ideas and components were taken.

<http://www.ultramoney.org/>  
Coda

Coda is an advanced networked filesystem implementing

- server replication
- encryption and access control
- continued operation during partial network failures in server network
- network bandwidth adaptation

<http://www.coda.cs.cmu.edu/>  
RAID

Redundant Arrays of inexpensive disks configured on BCISGnet configured as Raid I or Disk Mirroring for

Built in to the Kernel with tools part of the Slackware Distribution, mentioned here because of the important role played in High Availability Systems  
No Logo or Link required  
LVM

LVM is a Logical Volume Manager for the Linux operating system, as RAID it's built in to the Linux kernel with tools part of the Slackware Distribution  
No Logo or Link required

Databases and Active Directories

OpenLDAP

OpenLDAP Software is an open source implementation of the Lightweight Directory Access Protocol.

<http://www.openldap.org>  
MySQL

The MySQL database server is the world's most popular open source database. (source <http://www.mysql.com>)

<http://www.mysql.com>  
PostgreSQL

PostgreSQL is a highly scalable, SQL compliant, open source object-relational database management system

<http://www.postgresql.org/>

System/User (remote) Administration

Webmin

Webmin is a web-based interface for system administration for Unix. XSecHosting mainly uses it for mysql administration.

<http://www.webmin.com>  
Usermin

Usermin is a web-based administration interface for users. XSecHosting users use this module to set things like SpamAssassin detection thresholds, White and Blacklists, and other mail related setting eg for procmail the mail delivery program.

<http://www.webmin.com/index6.html>